

Neutrik NC4FXX-B - 4-pin female XLR cable connector with black chrome housing and an

CARACTERISTIQUES GENERALES :	
Réf :	AH-NC4FXXB



Neutrik NC4FXX-B - 4-pin female XLR cable connector with black chrome housing and gold-plated contacts

The XX series is the next generation of the internationally recognised standard in XLR cable connectors. The successor to the X series offers several new features for even greater reliability. The cable connectors are now easier to install, the contacts are even more durable and the cable strain relief system has been improved.

Unique female cage contact reduces contact resistance and increases conductivity with less contact wear

Female contact with solder-stop prevents solder from flowing into the plug area

Female cable connector with ergonomic and larger latch for easier handling and use

Additional ground contact for optimum housing connection

Improved collet design increases the pull-out force and makes assembly easier and faster

Cable grommet with polyurethane kink protection protects the cable at the end of the plug against bending stress

Colour-coding and identification options via coloured rings and clamping sleeves

Sleek and ergonomic design - high-quality and easy to handle

Robust, durable die-cast metal housing

Internal thread in the housing is protected against damage

Unique hologram guarantees an original and genuine Neutrik product

Type de produit
Connecteurs

Type
XLR 4 points femelle

Résistance d'isolation
> 10 G Ohm(s)

Tension nominale
< 50 V

Diamètre câble
3,5 - 8 mm

Contacts
laiton

Section Conducteur
max. 1,5 mm²

Mode de connexion
Contacts par soudure

Boîtier
Fonte de zinc

Couleur
noir

Longueur (mm)
71,5 - 73,5 mm

Diamètre
19,2 mm



PROZIC
113 Ancienne route Imperiale
31120 Portet-sur-Garonne
05 82 950 710

Décharge de traction
Polyacetal

Classe IP
IP40

Température d'utilisation
-30 - 80

Poids
0,029 kg

Packaging :

Dimensions produit :	71.5mm	Poids : 29g	EAN : 4049521380372
<i>Données non contractuelles</i>			